Ultra 23

Page: 1 Printed: 10/12/2018 Revision: 10/11/2018 Supersedes Revision: 08/10/2015

1. Product and	Company Identification

Product Code: Product Name:	GUT901 Ultra 23		
Company Name:	Pro-Line Industrial Products, Inc PO Box 401 Dixon, CA 95620	Phone Number: 800-263-9436	
Web site address: Emergency Contact:	Chemtrec	1 (800)424-9300	
Recommended Use: Intended Use:	Floor Finish For sale to, use and storage by service perso	ons only.	

2. Hazards Identification

Serious Eye Damage/Eye Irritation, Category 2A Aquatic Toxicity (Chronic), Category 3 Acute Toxicity: Oral, Category 5 Skin Corrosion/Irritation, Category 3 Acute Toxicity: Inhalation, Category 5 Target Organ Systemic Toxicity (single exposure), Category 3 Aquatic Toxicity (Acute), Category 2



GHS Signal Word:	Warning
GHS Hazard Phrases:	Causes serious eye irritation.
	Harmful to aquatic life with long lasting effects.
	May be harmful if swallowed.
	Causes mild skin irritation.
	May be harmful if inhaled.
	May cause respiratory irritation.
	Toxic to aquatic life.
	Very toxic to aquatic life with long lasting effects.
GHS Precaution Phrases:	Wash hands thoroughly after handling.
	Keep out of reach of children.
	Wear protective gloves, protective clothing, eye protection, face protection.
	Avoid release to the environment.
	Avoid breathing fumes and spray mist.
	Use only outdoors or in a well-ventilated area.
GHS Response Phrases:	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	If eye irritation persists, get medical attention immediately.
	If on skin (or in hair): Wash with plenty of soap and water. If skin irritation occurs, get medical attention immediately.
	If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
GHS Storage and Disposal Phrases:	Dispose of contents and container according to the local, city, state and federal regulations.
	Store in cool dry place at room temperature away from direct sunlight.

Potential Health Effects
(Acute and Chronic):
Inhalation:
Skin Contact:
Eye Contact:

Ingestion:

High vapor concentrations may cause drowsiness. May cause respiratory tract irritation. May cause allergic skin reaction.

Causes eye irritation.

May cause gastrointestinal irritation with nausea, vomiting and diarrhea.

3. Composition/Information on Ingredients

CAS #	Hazardous Components (Chemical Name)	Concentration
25987-66-0	Acrylic acid polymer	Proprietary
111-90-0	Diethylene glycol monoethyl ether	Proprietary
25265-77-4	Texanol	Proprietary
78-51-3	Ethanol, 2-Butoxy-, phosphate (3:1)	Proprietary
1314-13-2	Zinc oxide	Proprietary

4. First Aid Measures

Emergency and First Aid Procedures:					
In Case of Inhalation:	If inhaled, remove to fresh air. If breathing is difficult, give oxygen. Get medical aid. Remove from exposure and move to fresh air immediately.				
In Case of Skin Contact:	Remove contaminated clothing and shoes. Get medical aid if irritation develops and persists. Wash clothing before reuse. Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.				
In Case of Eye Contact:	Get medical aid immediately. In case of contact, immediately flush eyes with copious amounts of water for at least 15 minutes.				
In Case of Ingestion:	Never give anything by mouth to an unconscious person. If victim is conscious and alert, give 2-4 cupfuls of milk or water. If swallowed, wash out mouth with water provided person is conscious. Call a physician. If conscious and alert, rinse mouth and drink 2-4 cupfuls of milk or water.				
Note to Physician:	Treat symptomatically and supportively.				
	5. Fire Fighting Measures				
Flash Pt:	NE				
Explosive Limits:	LEL: N/A UEL: N/A				
Autoignition Pt:	NE				
Suitable Extinguishing Medi	a:Use water spray, alcohol foam, CO2, dry chemical.				
Fire Fighting Instructions:	As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Use water spray to keep fire-exposed containers cool.				
Flammable Properties and Hazards:	No data available.				

		6. Accide	ental Release Mea	isures		
Steps To Be Taken In Case Use proper personal protective equipment as indicated in Section 8. Material Is Released Or Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then point suitable container. Remove all sources of ignition. Provide ventilation. Prevent rune entering drains, sewers, or streams.			, ,			
		7. Ha	andling and Stora	ge		
Precautions Handling:	recautions To Be Taken in andling:Wash thoroughly after handling. Remove contaminated clothing and wash befor Use with adequate ventilation. Avoid contact with eyes, skin, and clothing. Avoid and inhalation.					
Precautions Storing:	To Be Taken in	Store in a cool, dry freezing.	Store in a cool, dry, well-ventilated area away from incompatible substances. Keep from freezing.			
8. Exposure Controls/Personal Protection						
CAS #	Partial Chemica	l Name	OSHA TWA	ACGIH TWA	Other Limits	
25987-66-0	Acrylic acid polyn	ner	No data.	No data.	No data.	
111-90-0	Diethylene glycol	monoethyl ether	No data.	No data.	No data.	
25265-77-4	Texanol		No data.	No data.	No data.	
78-51-3	Ethanol, 2-Butoxy	/-, phosphate (3:1)	No data.	No data.	No data.	
1314-13-2	Zinc oxide		PEL: 5 (fume); 15 (dust) mg/m3	TLV: 2 mg/m3 (R) STEL: 10 mg/m3 (R)	No data.	
Respiratory (Specify Typ		Always use a NIO	SH approved respirator wh	nen necessary.		
Eye Protecti		Safety glasses.				
Protective G	loves:	Wear appropriate	ate protective gloves to prevent skin exposure.			
Other Protec	tive Clothing:	Wear appropriate	opropriate protective clothing to prevent skin exposure.			
Engineering Controls Facilities storing or utilizing this material should be equipped with an eyew		eyewash facility and				
(Ventilation	etc.):	a safety shower. L	Ise adequate ventilation to	keep airborne concentra	ations low.	
Work/Hygier Practices:	enic/Maintenance Wash thoroughly after handling. Wash contaminated clothing before reuse.			reuse.		
		9. Physical	and Chemical Pr	operties		
Physical States: []Gas [X]Liquid []Solid						
-						


Physical States:	[] Gas	[X] Liquid	[] Solid	
Appearance and Odor:	Opaque white liquid with bland odor.			
Melting Point:	NE			
Boiling Point:	> 212.00 F			
Autoignition Pt:	NE			
Flash Pt:	NE			
Explosive Limits:	LEL: N/A	U	IEL: N/A	
Specific Gravity (Water = 1):	~ 1.035			
Density:	~ 8.63 LB/0	BA		

GHS format

					S	upersedes Revisi	on: 08/10/2015
Bulk density:	:	NE					
•	ure (vs. Air or	NE					
mm Hg):							
•	y (vs. Air = 1):	NE					
Evaporation		NE					
Solubility in		100%					
Saturated Va	-	NE					
Concentratio	n:	NP					
Viscosity:		~ 7.50 - 9.00					
pH: Percent Vola	tilo	~ 7.50 - 9.00 No data.					
VOC / Volum		0.0000 G/L					
Particle Size:		NE					
Heat Value:		NE					
Corrosion Ra	ate:	NE					
			ability and R	eactivity	,		
Stability:			Stable [X]				
Conditions To Avoid -		Extremes of temperature and direct sunlight. Strong acids, Strong oxidizing agents.					
Instability:							
Incompatibili Avoid:	ty - Materials To	Strong oxidizing a	gents, magnesium	n, chlorinated	rubber.		
Hazardous D	ecomposition C)r Carbon monoxide	, Carbon dioxide,	Thermal deco	omposition m	ay produce to	xic fumes of
Byproducts:		phosphorus oxide	s and/or phosphin	e. toxic fume	s of zinc oxic	le.	
Possibility of Hazardous		Will occur [] Will not occur [X]					
Reactions:							
Conditions T		None.					
Hazardous R	eactions:						
		11. Tox i	icological In	formatio	n		
Toxicologica	I Information:	No data available.					
Carcinogenicity/Other Information:		CAS# 111-90-0: N listed by ACGIH, I IARC, NTP, or CA	ARC, NTP, or CA		•		
CAS #	Hazardous Cor	nponents (Chemical	Name)	NTP	IARC	ACGIH	OSHA
25987-66-0	Acrylic acid poly	mer		n.a.	n.a.	n.a.	n.a.
111-90-0	Diethylene glyco	ol monoethyl ether		n.a.	n.a.	n.a.	n.a.
25265-77-4	Texanol			n.a.	n.a.	n.a.	n.a.
78-51-3	Ethanol, 2-Buto	xy-, phosphate (3:1)		n.a.	n.a.	n.a.	n.a.
1314-13-2	Zinc oxide			n.a.	n.a.	n.a.	n.a.
1017-10-2				n.a.	n.a.	n.a.	

			Superse	edes Revision: 08/10/201	5
	12. Ecologic	al Informatio	n		
	No data available.				
	13. Disposal (Consideratio	ns		
Waste Dispo	sal Method: Dispose of contents and con regulations.	ntainer according to	o the local, city, state	and federal	
	14. Transpo	rt Informatio	n		
LAND TRANS	SPORT (US DOT):				
DOT Haz UN/NA N		irdous material.			
	SPORT (Canadian TDG):				
-	ping Name: Not Regulated.				
IMDG/IM AIR TRANSP	ANSPORT (IMDG/IMO): O Shipping Name: Not Regulated. PORT (ICAO/IATA): A Shipping Name: Not Regulated.				
	15. Regulato	ry Informatio	n		
EPA SARA (S	uperfund Amendments and Reauthorization Act	t of 1986) Lists			_
CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)	
25987-66-0	Acrylic acid polymer	No	No	No	
111-90-0	Diethylene glycol monoethyl ether	Νο	No	Yes-Cat. N230	
25265-77-4	Texanol	No	No	No	
78-51-3	Ethanol, 2-Butoxy-, phosphate (3:1)	No	No	Yes-Cat. N230	
1314-13-2	Zinc oxide	No	No	Yes-Cat. N982	
CAS #	Hazardous Components (Chemical Name)	Other US EPA or	State Lists		
25987-66-0	Acrylic acid polymer	CA PROP.65: No; CA TAC, Title 8: No			
111-90-0	Diethylene glycol monoethyl ether	CA PROP.65: No; CA TAC, Title 8: TAC			
25265-77-4	Texanol	CA PROP.65: No	; CA TAC, Title 8: No		
78-51-3	Ethanol, 2-Butoxy-, phosphate (3:1)		; CA TAC, Title 8: TA		
1314-13-2	Zinc oxide	CA PROP.65: No	; CA TAC, Title 8: TA	C, Title 8	

GHS format



respects thereto and disclaims all liability for reliance thereon. Such data are offered solely for consideration, investigation and verification. Also, the data set forth is for the concentrated finished product. All lab samples are for experimental purposes only and used at the customers discretion.