

SAFETY DATA SHEET

Date issued : 03/10/2023

SDS number : QGS484

Date revised : 05/15/2023

Revision number : 3

Eco Seal

1. Identification

Product code: QGS484
Product identifier: Eco Seal
Product description: General Cleaner & Deodorizer
Relevant identified uses: Drain Trap Sealer and Deodorizer

Manufacturer / Supplier

Pro Line Industrial Products
 723 W. University Avenue #110-428
 Georgetown, TX 78626

Emergency telephone number (24 hour)

CHEMTREC (US Transportation & Medical) : (800) 424-9300

2. Hazard identification

Classification of the substance or mixture

Physical hazards:

Eye Irritation, Category 2B
 Skin Irritation, Category 2

Label elements

Signal word: WARNING

Hazard statement(s)

H315 + H320: Causes skin and eye irritation.

Precautionary statement(s)

Supplemental label elements:

P302+P350: IF ON SKIN: Gently wash with plenty of soap and water.
 P337+P313: If eye irritation persists: Get medical advice/attention.
 P332+P313: If skin irritation occurs: Get medical advice/attention.
 P362+P364: Take off contaminated clothing and wash it before reuse.
 P281: Use personal protective equipment as required.

3. Composition/information on ingredients

Chemical name	% w/w	CAS No.
soybean oil, me ester	95 - 100	67784-80-9

4. First-aid measures

Eye: Immediately flush eyes with plenty of water. Get medical attention, if irritation persists.

Skin: Wash with soap and water. Get medical attention if irritation develops or persists.

Ingestion: Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.

5. Fire-fighting measures

Suitable extinguishing media: Use extinguishing meausers that are appropriate to local circumstances and the surrounding environment.

Other considerations: Rags soaked with any solvent present a fire hazard and should always be stored in UL listed or Factory Mutual approved covered containers. Improperly stored rags can create conditions that lead to oxidation. Oxidation, under cerstain conditions can lead to spontaneous combustion

Fire fighting procedures: Treat as an oil fire

Fire fighting equipment: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

6. Accidental release measures

General procedures: Do not flush into surface water or sanitary sewer system.

Release notes: Absorb with liquid binding material (ie. sand, diatomite, acid binders, universal binders, sawdust)

Special protective equipment: Use person protective equipment. Ensure adequate ventilation.

Comments: Dispose of the collected material according to regulations.

7. Handling and storage

General procedures: Ensure good ventilation/exhaustion at the workplace.

Conditions for safe storage: Store in a cool, dry, well-ventilated place. Keep away from incompatible materials (see section 10 for incompatibilities).

8. Exposure controls/personal protection

Individual protection measures, such as personal protective equipment

Eye / face protection: Safety glasses.

Skin protection - hand protection: Chemical resistant gloves

Respiratory protection: Not required for properly ventilated areas.

Occupational hygiene practices: Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of work day.

9. Physical and chemical properties

Physical state: Liquid

Appearance: liquid

Color: Dark Green

Odor: Cherry

Physical state comments: Liquid

pH: 6.5 - 7

Melting point: NA = Not Applicable

Freezing point: Not yet Determined

Initial boiling point and boiling range: 351 C (664 F) (@760 mm HG)

Flash point: > 130 C (266 F)

Evaporation rate (n-butyl acetate = 1): Not yet Determined

Flammability: NA = Not Applicable

Vapor pressure: 0.38 psi (2.6 kPa)

Relative vapor density: Not yet Determined

Density: 0.88 g/ml at 20°C (68°F)

Solubility: Insoluble

Viscosity: Not yet Determined

VOC content: 0 %

10. Stability and reactivity

Reactivity: No data available

Chemical stability: Stable Under Normal conditions.

Conditions to avoid: Strong oxidizers, acids and alkalis.

Hazardous decomposition products: Oxides of Carbon.

Incompatible materials: Strong oxidizers, acids and alkalis.

11. Toxicological information**12. Ecological information**

Aquatic toxicity, both acute and chronic: No further relevant information available

Bioaccumulative potential: No information Available

General comments: Not known to be hazardous to water.

13. Disposal considerations

Disposal methods: Dispose of in accordance with local regulations.

Product disposal: Disposal should be in accordance with applicable regional, national and local laws and regulations

RCRA/EPA waste information: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

14. Transport information

USA Department of Transport Regulations (DOT)

UN proper shipping name: NA = Not Applicable

Technical name: NA = Not Applicable

Transport hazard class(es): NA = Not Applicable

15. Regulatory information**UNITED STATES****TSCA (The Toxic Substances Control Act)**

Chemical name	CAS No.
soybean oil, me ester	67784-80-9

California Proposition 65: None

16. Other information

Date revised: 05/15/2023

Revision summary: This SDS replaces the 03/21/2023 SDS. Revised: **Section 2:** Classification of the substance or mixture, Label elements, Precautionary statement(s).

HMIS rating

Health	<input type="checkbox"/>	1
Flammability	<input type="checkbox"/>	1
Physical hazard	<input type="checkbox"/>	
Personal protection	<input type="checkbox"/>	

NFPA codes